

Study of the Influence of the Ballast Layer Thickness on the Bearing Capacity of the Dune Sand Bed

Aziz Mamadaliev

Tashkent Institute of Railway Engineers, Tashkent

ABSTRACT: With increasing axle loads and train speeds, the vibrodynamic load of the wheels on the ballast layer, which is characterized by vibration amplitude, frequency, vibration velocity and other parameters, increases.

The main indicators of the track condition, their deviations from the standard position in the profile and in the plan directly depend on the bearing capacity of the ballast layer.

Vibrodynamic effects on the ballast layer are known to have a negative impact on the strength and deformation characteristics, which leads to a decrease in the bearing capacity of the ballast layer.

KEYWORDS: crushed stone, amplitude, vibrations, railway, vibrodynamic load, ballast prism, train movements, velvet sand.

I. INTRODUCTION

The bearing capacity of a ballast prism with an earthen sand bed made of velvet sands that perceives vibrodynamic load is determined by the size and character of the distribution of vibrodynamic influence on the bed body, sensitivity to it of velvet sand and its structural features. At the same time, the bearing capacity of the earth bed is understood as the greatest load determined by the first group of limiting states, which causes such a stress state, when its minimum increase causes a disturbance of the existing balance with the formation of the ground displacement surface.

By virtue of the above mentioned calculation of the bearing capacity of the earth bed, which perceives the vibrodynamic load, it is reasonable to carry out, based on the theory of ultimate equilibrium. For this purpose, it is necessary in conditions of a flat problem to solve the equations of motion and a limiting stress state at the strength characteristics depending on vibrodynamic influence.

The bearing capacity of the earth bed, which perceives the vibrodynamic load, will be determined by the limiting stress state of the soil, at which the minimum increase in the external load leads to the violation of the existing limit equilibrium with the formation of a surface displacement of the soil [1].

II. THE BASIS FOR DETERMINING THE BEARING CAPACITY OF A BALLAST LAYER WITH A BASE OF DUNE SANDS.

The solution of the problem of the ultimate equilibrium of the earth bed, covered with dune sands, under the action of vibrations is reduced to a joint solution of the differential equations of motion and the conditions of the ultimate stress state at the strength characteristics changing under the influence of vibrodynamic load [2].

The basic system of equations consists of the equations of motion of the soil medium and the conditions of the limiting equilibrium of the Coulomb:

$$\left\{ \begin{array}{l} \frac{\partial \sigma_z}{\partial z} + \frac{\partial \tau_{zy}}{\partial y} = \gamma \cdot \cos \theta + \rho \cdot \frac{\partial^2 U}{\partial t^2} \\ \frac{\partial \tau_{yz}}{\partial z} + \frac{\partial \sigma_y}{\partial y} = \gamma \cdot \sin \theta + \rho \cdot \frac{\partial^2 V}{\partial t^2} \\ \sigma_1 - \sigma_2 = (\sigma_1 + \sigma_2 + 2 \cdot C_{\text{дин}} \cdot ctg \varphi_{\text{дин}}) \cdot \sin \varphi_{\text{дин}} \end{array} \right. \quad (1)$$

where σ_z, σ_y - the components of normal tension;

$\tau_{zy} = \tau_{yz}$ - tangential voltage components;

θ - inclination angle to the horizon of y-axis;

ρ - soil mass $\rho = \frac{\gamma}{g}$

g - free fall acceleration, $g=981 \text{ cm/sec}^2$;

γ - volume mass of soil;

U, V - displacements at oscillations in the direction of z and y axes;

σ_1 and σ_2 - maximum and minimum main stresses;

c_{dun} and φ_{dun} - grip and internal friction angle of velvet sand, which perceives vibrodynamic load;

The angle of internal friction and specific bonding of ballast with the base of dune sands laid in the railway bed of the earth bed are determined under the action of vibrodynamic load in the conditions of three-axis compression. At the same time the value of vibrodynamic influence is determined by the received calculation or measured in nature by the maximum resulting amplitude of vibrations.

The resulting amplitude of ballast layer oscillations with the base of dune sands in any point of the earth bed and beyond it is determined by the formula:

$$A_{zy} = A_0 e^{nz - \delta_1^0 \varphi(y) + \delta_3 \varphi(h_{i,j})} \quad (2)$$

where A_0 is the resulting amplitude of the main site soil oscillations, μm ;

$\delta_1, \delta_2', \delta_2''$ - coefficients of damping of vibrations in vertical and horizontal directions;

z, y - coordinates of the point under consideration in the axes shown in Fig. 1;

δ_3 - coefficient taking into account the influence of slope on damping of oscillations in the embankment slope;

$h_{i,j}$ - slope height above the point under consideration, m ;

b_0 - size of the main area of the main site that perceives external pressure, m ;

α_1 - angle of the embankment slope;

a - calculated width of the shoulder, m .

$$a = \frac{b_{\text{пл}} - b_0}{2} \quad (3)$$

where $b_{\text{пл}}$ is the width of the main site of the earth's surface, determined for the operating lines by measuring in kind, and for those designed according to current standards.

The size of the area of the main site, which is able to absorb the load from the rolling stock, by the railroad tie rod and ballast prism is determined according to [3] according to the following formula:

$$b_0 = l_{\text{шп}} + 2 \cdot h_{\text{бал}} \cdot \text{tg } 30^\circ \quad (4)$$

where $l_{\text{шп}}$ the sleepers are the length of the sleepers;

Score - the power of the ballast prism.




Fig. 1. Scheme for determining the width of the loading area.




Fig. 3. Dependence of load-bearing capacity on ballast layer thickness.

III. CONCLUSION

1. The load-bearing capacity of the earth bed is greatly influenced by the ballast prism power. Increasing the thickness of the ballast layer by 0.1 m increases the bearing capacity of the earth bed by 8% in the vertical plane and 10% in the horizontal plane.
2. Increase of ballast capacity under the sleeper sole also leads to reduction of effective stresses. Thus, on the one hand, the increase in the thickness of the ballast layer leads to an increase in the strength of the main site, and on the other hand, to a decrease in the effective stresses. Consequently, this method allows to reduce the existing deficit of bearing capacity.

REFERENCES

1. Chernikov A.K. Solution of rigid-plastic problems of geomechanics by the method of characteristics. -SPb., PGUPS, 1997. -191c.
2. Prokudin, I.V. Strength and deformability of the railway bed from the clay soils, which perceive the vibrodynamic load (in Russian) // Phd thesis. -LIIZHT. -1982.
3. Zarubina, L.P. Investigation of the influence of dynamic loads on the strength properties of the clay soils of the railway earth bed. // Abstract diss. -LIIZHT. -1970.
4. Abdugarimov, A.M. Carrying capacity of the earth bed, dumped with the loess soils, accepting the vibrodynamic load (in Russian) // Phd thesis. -PGUPS. -2011.