

ISSN: 2350-0328

International Journal of Advanced Research in Science, Engineering and Technology

Vol. 7, Issue 5 , May 2020

# Effectiveness of Preventive Footwear at Redistribution of Soil Pressure of Foot in Patients with Diabetes Mellitus

Mukhammedova M.O, Djurayev A.Dj, Haydarov A.A, Uzakova L.P.

Bukhara Engineering and Technology Institute doctoral student of the department Doctor of Science, Professor of the Department "Theory of Machine Mechanisms", Tashkent Institute of Textile And Light Industry, Tashkent, Uzbekistan. Doctor of Philosophy of the Department "Technology and design of leather and fur", Tashkent Institute of Textile and Light Industry, Tashkent, Uzbekistan. Doctor of Philosophy of the Department "Technology and design of leather and fur", Bukhara Engineering and Technology Institute, Bukhara, Uzbekistan.

**ABSTRACT:** This article provides information on changes in the distribution of plantar foot pressure, the frequency of side effects and complications of preventive footwear, and analyzes the results of the effectiveness of providing preventive footwear for a contingent of patients with diabetes mellitus at the Endocrinological Dispensary of Bukhara Region (on the basis of selective questioning and dynamic observation of 50 patients).

**KEY WORDS:** supporting comfort, rollability, slip resistance, plantar surface, deformed foot, bottom of shoes, anthropomorphic change, loose insoles, shoe sole, shoe upper

# **I.INTRODUCTION**

The study of the lower extremities of patients with diabetes mellitus, the biomechanics of the movements of the distribution of body weight on the support when standing and walking, the change in the size of the foot and hand during movement, the pressure arising between the foot and the upper shoe, will allow the designer to reasonably choose the size and shape of the upper and lower parts of the shoe, and also choose the right materials for parts [1].

The area of human support is determined by the supporting surface of both feet. The greatest pressure is experienced by the bony protrusions of the calcaneus, the head of the metatarsal bones and the process of the fifth metatarsal bone. However, thanks to the subcutaneous adipose tissue, the pressure on the supporting surface of the foot is distributed relatively evenly. Based on the average human mass and the average supporting surface of the foot, it is approximately believed that the average pressure of the foot on the support is about 0.05 MPa [2].

Studies have shown that complications of the diabetic foot of patients with diabetes, such as changes in bone structures, can cause locally increased plantar pressure. Repeated applications at such a high pressure of the leg become more susceptible to ulcer development [3].

Preventive shoes for patients with diabetes mellitus, in particular, make it possible to lower pressure on the area of the plantar surface, for example, on those where pre-ulcerated conditions may already appear. Such shoes prevent horizontal friction on the soles, it does not squeeze the foot from above and from the side and does not injure the fingers with a hard top.

Therefore, in the physical model of the force interaction of the foot with the shoe, with a certain approximation, the upper part of the shoe plays the role of the sheath.

In accordance with the accepted physical model, we can assume that when interacting with the foot, a force field arises in each elementary section of the shoe, determined by both external and internal factors. Under the influence of forces, the details of the shoe press on the foot, as a result of which its soft tissues are compressed, and the details of the shoe are stretched and bent, which brings the force field into equilibrium. The pressure distribution of the shoe parts on the foot depends on the geometric and force interaction parameters, taking into account the deformability of the soft tissues of the foot and the shoe parts [4,5].




ISSN: 2350-0328

# International Journal of Advanced Research in Science, Engineering and Technology

# Vol. 7, Issue 5 , May 2020

Orthopedic shoes are designed to protect the feet from injuries, provide ventilation, comfort and convenience when worn. They are created using the same technology and from certain materials with the following technical specifications:



**Requirements for preventive footwear for patients with diabetes** 

R.R.Vreden and M.I.Kuslik were engaged in the development of a shoe design intended for the prevention of foot deformation and the construction of physiological shoes. OS Dobrova worked on the issues of rationalizing the pads for adults and children, both for the normal foot and for the foot with initial non-fixed deformations.

In our country, this problem was dealt with by: A.A. Kaidarov, U.M. Maksudova, M.U. Ilkhamov, D.Z. Pazilova, S.S. Musaev, L.P. Uzazova, F.A. Abdurakhmanova who, made a worthy contribution to the development of science to create a rational shoe design.

The definitions of the method of calculating the pressure on the plantar surface of the foot are of wide interest to researchers. Plantar pressure measurements are used to diagnose the problems of people with diabetes. The support of the foot in a standing position in statics and dynamics characterizes a change in pressure that leads to deformation of the soft tissue while standing or while walking the plantar pressure emphasizes the compression of soft tissues (skin, fat layer, ligaments and muscles) of the plantar surface of the foot.

Rational internal form depends on the following factors:

 $\Box$  anatomical structure of the foot;

 $\Box$  functional changes of the foot in statics and dynamics;

□ uniform distribution of pressure on the back and plantar surface of the foot;

 $\Box$  morphological (age, pathological, etc.) changes in the foot.



# International Journal of Advanced Research in Science, Engineering and Technology

ISSN: 2350-0328


# Vol. 7, Issue 5 , May 2020

	Sensor Numbers	When resting on a plane	When relying on the material system of the insole
Nose-tufted part	1		
	2		
	3	16,5	22,4
Gelenny part	4		
	5		
	6	7,7	20,6
Heel part	7		
	8		
	9	75,9	57,5
	Total weight	76,04	100

# Tab. 1

#### Plantar pressure study using a device with nine pressure sensors

50 patients with diabetes were examined. Questioning of patients on the use of shoes was carried out, the severity of foot deformities and the daily activity of patients were evaluated. The volume dimensions of the front and middle sections, as well as the geometric parameters of the foot, were measured.



The effectiveness of stress reduction and redistribution of two full contact insoles with various combinations of materials was compared with the effectiveness of a conventional flat insole used as a basic condition.

When walking, one leg is a support, the other moves forward and falls on the support with the heel, then rolls from the heel to the front and is repelled from the support by stoves and fingers. In the transition from the support of the entire surface of the foot to the support on the bundles, it bends in the metatarsophalangeal and tarsal joints. The heel support time is 7% of the entire support period, 43% for the entire foot, and -50% for the forefoot.



ISSN: 2350-0328

# International Journal of Advanced Research in Science, Engineering and Technology

### Vol. 7, Issue 5 , May 2020

In the standing position, the balance is controlled by muscle action, which moves the distribution of plantar pressure by changing the rotation of the foot around the ankle (anteroposterior) and redistributing the total body weight to both legs (lateral). The force applied to the ankle compresses the foot. Compression naturally increases plantar pressure. In a standing position, perceived on the surface of two legs, corresponds to the force arising from the total body weight.

The above materials were based on work supported by the Ministry of Innovative Development of a research grant on the theme "Bukhara Engineering and Technology Institute.

#### REFERENCES

1. Mukhammedova MO, Khaydarov A.A., Djuraev A.D. / Prophylaxis of complications of sugar diabetes in the sections of the lower limbs / International journal of advanced research in science, engineering and technology.ISSN: 2350-0328.Volume5, Issue 6 June 2018. India. p.6022-6028. 2. Mukhammedova M.O., Khaydarov A.A., Djuraev A.D. / Analysis of design peculiarities of preventive shoes for diabetics / Actual problems of modern scinence, education and training in the region.Urgench 2018.p.70-79.

3. Mukhammedova M.O./ Instrumental Methods of Evaluation in Orthopedic Support for Patients with Diabetes Mellitus / International Journal of Advanced Research in Science, Engineering and Technology.ISSN: 2350-0328.Volume6, Issue 8 August 2019.India.

4. Mukhammedova M.O., Uzakova L.P., Rahmonov I.M./ Operational and technological requirements for rational shoes for patients with diabetes mellitus / International scientific conference "Innovative solutions of engineering and technological problems of modern production". Buxara 2019.p.556-558.

5. Effects of heel toe forces on ankle-foot orthoses design using finite element analyses / Lam P.C., Reddy N.P., Downing M. Publication by ASME, New York, USA. 1986. p. 49-52.

6. Kostyleva Yu.V. Development of a program-methodical complex for calculating the hygienic properties of shoes. Thesis for the degree of candidate of technical sciences, Moscow 2003.

7.Kostyuhova Yu.S. / Development of theoretical and methodological foundations of computer-aided design of shoes Kostyuhova Yu.S. : Diss. . Cand. tech. sciences. M., 2001.

8. Fukin V.A., Buoy V.Kh. The development of the theory and methodology of designing the internal form of shoes. - M .: MGUDT, 2006 - 214 p. 9. Kiselev S.Yu. Automated design and manufacturing of technological equipment for the production of shoes and prosthetic and orthopedic products: Dis. ... doc pa tech. sciences. - M., 2003, p.27.